





Mode	2																																																																																																																							
	SHF																																																																																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																							
	5725-5850_802.11ac VHT40_CH159_5795MHz																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																						
Peak Avg	Site : 03CH11-HY Condition: PEAK(UNII) 1m SHF_1224_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39368.10</td><td>59.07</td><td>74.00</td><td>-14.93</td><td>37.08</td><td>45.45</td><td>36.14</td><td>50.06</td><td>-9.54</td><td>226</td><td>1</td><td>PEAK</td></tr><tr><td>2</td><td>39368.10</td><td>48.98</td><td>54.00</td><td>-5.02</td><td>26.99</td><td>45.45</td><td>36.14</td><td>50.06</td><td>-9.54</td><td>226</td><td>1</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	39368.10	59.07	74.00	-14.93	37.08	45.45	36.14	50.06	-9.54	226	1	PEAK	2	39368.10	48.98	54.00	-5.02	26.99	45.45	36.14	50.06	-9.54	226	1	AVERAGE	Site : 03CH11-HY Condition: PEAK(UNII) 1m SHF_1224_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39511.41</td><td>59.28</td><td>74.00</td><td>-14.72</td><td>37.15</td><td>45.57</td><td>35.98</td><td>49.88</td><td>-9.54</td><td>150</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>39511.41</td><td>49.18</td><td>54.00</td><td>-4.82</td><td>27.05</td><td>45.57</td><td>35.98</td><td>49.88</td><td>-9.54</td><td>150</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	39511.41	59.28	74.00	-14.72	37.15	45.57	35.98	49.88	-9.54	150	360	PEAK	2	39511.41	49.18	54.00	-4.82	27.05	45.57	35.98	49.88	-9.54	150	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	39368.10	59.07	74.00	-14.93	37.08	45.45	36.14	50.06	-9.54	226	1	PEAK																																																																																																												
2	39368.10	48.98	54.00	-5.02	26.99	45.45	36.14	50.06	-9.54	226	1	AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	39511.41	59.28	74.00	-14.72	37.15	45.57	35.98	49.88	-9.54	150	360	PEAK																																																																																																												
2	39511.41	49.18	54.00	-4.82	27.05	45.57	35.98	49.88	-9.54	150	360	AVERAGE																																																																																																												
38.6G-40G Avg	Site : 03CH11-HY Condition: PEAK(UNII) 1m SHF_1224_240624 HORIZONTAL	Site : 03CH11-HY Condition: PEAK(UNII) 1m SHF_1224_240624 VERTICAL																																																																																																																						




Mode	2																																																																																																																																																																																																																																												
	LF																																																																																																																																																																																																																																												
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																																																																																																												
	5725-5850_802.11ac_VHT40_CH159_5795MHz																																																																																																																																																																																																																																												
Pol.	Horizontal							Vertical																																																																																																																																																																																																																																					
Peak Qp																																																																																																																																																																																																																																													
	Site : 03CH11-HY Condition: QP 3m Bilog_63304_241217 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.19</td><td>30.69</td><td>40.00</td><td>-9.31</td><td>37.41</td><td>25.13</td><td>0.50</td><td>32.43</td><td>0.08</td><td>100</td><td>29</td><td>QP</td><td></td></tr><tr><td>2</td><td>111.48</td><td>25.21</td><td>43.50</td><td>-18.29</td><td>39.44</td><td>16.90</td><td>1.14</td><td>32.31</td><td>0.04</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>3</td><td>271.53</td><td>27.41</td><td>46.00</td><td>-18.59</td><td>38.47</td><td>19.01</td><td>2.01</td><td>32.20</td><td>0.12</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>4</td><td>500.45</td><td>34.78</td><td>46.00</td><td>-11.22</td><td>40.08</td><td>23.92</td><td>2.86</td><td>32.20</td><td>0.12</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>5</td><td>752.65</td><td>28.95</td><td>46.00</td><td>-17.05</td><td>28.96</td><td>28.30</td><td>3.58</td><td>32.09</td><td>0.20</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>6</td><td>900.09</td><td>32.97</td><td>46.00</td><td>-13.03</td><td>30.84</td><td>29.20</td><td>4.07</td><td>31.38</td><td>0.24</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	30.19	30.69	40.00	-9.31	37.41	25.13	0.50	32.43	0.08	100	29	QP		2	111.48	25.21	43.50	-18.29	39.44	16.90	1.14	32.31	0.04	--	--	Peak		3	271.53	27.41	46.00	-18.59	38.47	19.01	2.01	32.20	0.12	--	--	Peak		4	500.45	34.78	46.00	-11.22	40.08	23.92	2.86	32.20	0.12	--	--	Peak		5	752.65	28.95	46.00	-17.05	28.96	28.30	3.58	32.09	0.20	--	--	Peak		6	900.09	32.97	46.00	-13.03	30.84	29.20	4.07	31.38	0.24	--	--	Peak		Site : 03CH11-HY Condition: QP 3m Bilog_63304_241217 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>37.76</td><td>34.01</td><td>40.00</td><td>-5.99</td><td>44.65</td><td>21.20</td><td>0.47</td><td>32.33</td><td>0.02</td><td>100</td><td>17</td><td>QP</td><td></td></tr><tr><td>2</td><td>47.46</td><td>36.14</td><td>40.00</td><td>-3.86</td><td>52.19</td><td>15.62</td><td>0.62</td><td>32.34</td><td>0.05</td><td>100</td><td>200</td><td>QP</td><td></td></tr><tr><td>3</td><td>95.96</td><td>27.15</td><td>43.50</td><td>-16.35</td><td>42.97</td><td>15.39</td><td>1.07</td><td>32.32</td><td>0.04</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>4</td><td>500.45</td><td>36.82</td><td>46.00</td><td>-9.18</td><td>42.12</td><td>23.92</td><td>2.86</td><td>32.20</td><td>0.12</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>5</td><td>739.07</td><td>31.27</td><td>46.00</td><td>-14.73</td><td>31.59</td><td>28.06</td><td>3.54</td><td>32.11</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>6</td><td>900.09</td><td>33.58</td><td>46.00</td><td>-12.42</td><td>31.45</td><td>29.20</td><td>4.07</td><td>31.38</td><td>0.24</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	37.76	34.01	40.00	-5.99	44.65	21.20	0.47	32.33	0.02	100	17	QP		2	47.46	36.14	40.00	-3.86	52.19	15.62	0.62	32.34	0.05	100	200	QP		3	95.96	27.15	43.50	-16.35	42.97	15.39	1.07	32.32	0.04	--	--	Peak		4	500.45	36.82	46.00	-9.18	42.12	23.92	2.86	32.20	0.12	--	--	Peak		5	739.07	31.27	46.00	-14.73	31.59	28.06	3.54	32.11	0.19	--	--	Peak		6	900.09	33.58	46.00	-12.42	31.45	29.20	4.07	31.38	0.24	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																	
1	30.19	30.69	40.00	-9.31	37.41	25.13	0.50	32.43	0.08	100	29	QP																																																																																																																																																																																																																																	
2	111.48	25.21	43.50	-18.29	39.44	16.90	1.14	32.31	0.04	--	--	Peak																																																																																																																																																																																																																																	
3	271.53	27.41	46.00	-18.59	38.47	19.01	2.01	32.20	0.12	--	--	Peak																																																																																																																																																																																																																																	
4	500.45	34.78	46.00	-11.22	40.08	23.92	2.86	32.20	0.12	--	--	Peak																																																																																																																																																																																																																																	
5	752.65	28.95	46.00	-17.05	28.96	28.30	3.58	32.09	0.20	--	--	Peak																																																																																																																																																																																																																																	
6	900.09	32.97	46.00	-13.03	30.84	29.20	4.07	31.38	0.24	--	--	Peak																																																																																																																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																	
1	37.76	34.01	40.00	-5.99	44.65	21.20	0.47	32.33	0.02	100	17	QP																																																																																																																																																																																																																																	
2	47.46	36.14	40.00	-3.86	52.19	15.62	0.62	32.34	0.05	100	200	QP																																																																																																																																																																																																																																	
3	95.96	27.15	43.50	-16.35	42.97	15.39	1.07	32.32	0.04	--	--	Peak																																																																																																																																																																																																																																	
4	500.45	36.82	46.00	-9.18	42.12	23.92	2.86	32.20	0.12	--	--	Peak																																																																																																																																																																																																																																	
5	739.07	31.27	46.00	-14.73	31.59	28.06	3.54	32.11	0.19	--	--	Peak																																																																																																																																																																																																																																	
6	900.09	33.58	46.00	-12.42	31.45	29.20	4.07	31.38	0.24	--	--	Peak																																																																																																																																																																																																																																	



Appendix B. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0	Bluetooth - LE for 125Kbps	100.00	-	-	10Hz
1+2	2.4GHz 802.11n HT40	94.93	1030	0.971	1kHz
1+2	5GHz 802.11ac VHT40	94.69	1070	0.935	1kHz

<Ant. 0>



MIMO <Ant. 1+2>

